

The worldwide leader in IT and Networking

Connect
Communicate and
Collaborate



FLORA LIMITED

www floralimited com

cisco





The latest in networking in 5 minutes



SF300 24 port Ethernet Switch (Manageable)

Part No: SRW224G4-K9-EU

24 x 10/100 ports with 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 9.52 mpps (64-byte packets)

Switching capacity: 12.8 Gbps

Static IPv4 routing

Price: Tk. 12,500/=



SG350 24 Port Gigabit Switch (Manageable)

Part No: SG350-28-K9-EU

24 x 10/100/1000 ports

2 SFP Slot & 2 combo mini-GBIC ports

RAM: 256 MB, Flash: 32 MB

Up to 16K MAC & 4096 VLANs Supportable

Throughput: up to 41.67 mpps (64-byte packets)

Switching capacity: 56.0 Gbps

Static IPv4 routing.

Price: Tk. 18,000/=



SG300 24 Port Gigabit Switch (Manageable)

Part No: SRW2024-K9-EU

24 x10/100/1000 with 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 41.67 mpps (64-byte packets)

Switching capacity: 56.0 Gbps

Static IPv4 routing

Price: Tk. 19,000/=



SF300 24 Port PoE Switch (Manageable)

Part No: SF300-24PP-K9-EU

24 x 10/100 PoE+ ports with 2 combo mini-GBIC ports RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 9.52 mpps (64-byte packets) Switching capacity: 12.8 Gbps, PoE Power 180W

Static IPv4 routing

Price: Tk. 23,000/=



. 1 | 1 . 1 | 1 . CISCO



SG300 24 Port Gigabit PoE Switch (Manageable)

Part No: SG300-28PP-K9-EU

24 x 10/100/1000 PoE+ ports

2 Gigabit ports with 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 41.67 mpps (64-byte packets) Switching capacity: 56 Gbps, PoE Power 180W

Static IPv4 routing

Price: Tk. 36,000/=



SG300 24 Port SFP Switch (Manageable)

Part No: SG300-28SFP-K9-EU

26 X 10/100/1000 ports (SFP) 2 combo mini-GBIC ports RAM: 128 MB, Flash: 16 MB

Up to 16K (16384) MAC & 4096 VLANs Supportable

Throughput: up to 41.67 mpps (64-byte packets)

Switching capacity: 56.0 Gbps

Static IPv4 routing

Price: Tk. 62,000/=



SG300 10 Port SFP Switch (Manageable)

Part No: SG300-10SFP-K9-EU

10 x 10/100/1000 Ports (SFP) 2 x 10/100/1000 Base RJ45 RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput:up to 14.88 mpps (64-byte packets)

Switching capacity: 20.0 Gbps

Static IPv4 routing

Price: Tk. 32,000/=



SG300 16 Port Gigabit Switch (Manageable)

Part No: SRW2016-K9-EU

18 x 10/100/1000 ports 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K (16384) MAC & 4096 VLANs Supportable Throughput: up to 29.76 mpps (64-byte packets)

Switching capacity: 40.0 Gbps

Static IPv4 routing

Price: Tk. 17,000/=

Manage your applications across your clouds.



The worldwide leader in IT and Networking







SG300 8 Port Gigabit PoE Switch (Manageable)

Part No: SG300-10PP-K9-EU

8 x 10/100/1000 PoE+ ports with 2 combo mini-GBIC ports RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 14.88 mpps (64-byte packets) Switching capacity: 20 Gbps, PoE Power 62W

Static IPv4 routing

Price: Tk. 19,000/=



SF300 48 Port Ethernet Switch (Manageable)

Part No: SRW248G4-K9-EU

48 X 10/100 LAN Ports & 2 X 10/100/1000 GB ports

with 2 combo mini-GBIC ports RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 13.10 mpps (64-byte packets)

Switching capacity: 17.6 Gbps

Static IPv4 routing

Price: Tk. 24,000/=



SF300 8 Port Ethernet PoE Switch (Manageable)

Part No: SF302-08PP-K9-EU

8 x 10/100 PoE+ ports with 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 4.17 mpps (64-byte packets) Switching capacity: 5.6 Gbps, PoE Power 62W

Static IPv4 routing

Price: Tk. 14,500/=



SG300 8 Port Gigabit Switch (Manageable)

Part No: SRW2008-K9-G5

 $8 \times 10/100/1000$ ports 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB


Up to 16K (16384) MAC & 4096 VLANs Supportable Throughput: up to 14.88 mpps (64-byte packets)

Switching capacity: 20.0 Gbps

Static IPv4 routing

Price: Tk. 12,000/=

Enable an on-demand self-service provisioning environment.



cisco



SG300 52 Port Gigabit Switch (Manageable)

Part No: SRW2048G4-K9-EU

50 X 10/100/1000 ports with

2 combo mini-GBIC

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 77.38 mpps (64-byte packets)

Switching capacity: 104 Gbps

Static IPv4 routing

Price: Tk. 40,000/=



SF95 24 Port Switch (Unmanaged)

Part No: SF95-24-AS

24 X 10/100 LAN ports


Throughput: 3.6 mpps (64-byte packets)

Switching capacity: 4.8 Gbps

Automatic cable detection & features run automatically, no configuration required. Support: 802.3, 802.u Faster Ethernet, or

802.3ab Gigabit Ethernet

Price: Tk. 5,000/=



Get the public cloud experience in a private cloud environment.





SF300 48 Port PoE+ Switch (Manageable)

Part No: SF300-48PP-K9-EU

48-port 10/100 PoE+ 2 combo mini-GBIC ports

RAM: 128 MB, Flash: 16 MB

Up to 16K MAC & 4096 VLANs Supportable Throughput: up to 3.10 mpps (64-byte packets) Switching capacity: 17.6 Gbps, PoE Power 375W

Static IPv4 routing

Price: Tk. 42,000/=



SG300 52 Port PoE+ Switch (Manageable)

Part No: SG300-52P-K9-EU

48-PoE+ Ports 10/100/1000 + 4 combo GB SFP

RAM: 128 MB, Flash: 16 MB

Up to 16K (16384) MAC & 4096 VLANs Supportable Throughput: up to 77.38 mpps (64-byte packets) Switching capacity: 104 Gbps, PoE Power 375W

Static IPv4 routing

Price: Tk. 95,000/=



SG300 52 Port PoE+ Switch (Manageable)

Part No: SG300-52MP-K9-EU

48-PoE+ Ports 10/100/1000 + 4 combo GB SFP

RAM: 128 MB, Flash: 16 MB

Up to 16K (16384) MAC 4096 VLANs Supportable Throughput: up to 77.38 mpps (64-byte packets) Switching capacity: 104 Gbps, PoE Power 740W

Static IPv4 routing

Price: Tk. 105,000/=

Connect Communicate and Collaborate





SG95 24 Port Gigabit Switch (Unmanaged)

Part No: SG95-24-AS

24 x 10/100/1000 ports with 2 combo GBIC ports Throughput: 35.7 mpps (64-byte packets) Switching capacity: 48 Gbps Automatic cable detection & features run automatically, no configuration required. Support: 802.3, 802.u Faster Ethernet, or

Price: Tk. 7,000/=

802.3ab Gigabit Ethernet



SF95 08 Port Switch (Unmanaged)

Part No: SF95D-08-AS

8 Ports 10/100 Mbps

Throughput: 1.4 mpps (64-byte packets)

Switching capacity: 1.6 Gbps

Automatic cable detection & features run automatically, no configuration required. Support: 802.3, 802.u Faster Ethernet, or

802.3ab Gigabit Ethernet

.......



Price: Tk. 2,000/=

SG95 08 Port Gigabit Switch (Unmanaged)

Part No: SG95D-08-AS

8 Ports 10/100/1000 Mbps

Throughput: 11.9 mpps (64-byte packets)

Switching capacity: 16 Gbps

Automatic cable detection & features run automatically, no configuration required. Support: 802.3, 802.u Faster Ethernet,

or 802.3ab Gigabit Ethernet"

Price: Tk. 4,000/=



Part No: WAP121-E-K9-G5

Wireless-N Access Point Up to 300 Mbps data rate, Up to 16 connected/10 active users, VLAN,Load balancing, Internal antennas

Frequency: Single-band 2.4 GHz

Port: 1 port 10/100, 12V DC power/support for

802.3af PoE

Standards: IEEE 802.11n/g/b, 802.3af,802.3u

Price: Tk. 7,000/=





Protect users anywhere they go.



Pursue the right strategy for protecting your digital business.







WAP131 Wireless Access Point

Part No: WAP131-C-K9-G5

Wireless-N Access Point Data rate Up to 300 Mbps, 32 connected users/16 active users, VLAN,Load balancing Frequency: 2.4 and 5 GHz, RAM & Flash 128-MB Port: 1 port 10/100/1000 PoE port/AC adapter WLAN: 802.11n, 2x2 (MIMO) with 2 spatial streams,PHY data rate up to 600 Mbps supported: 802.11a/b/g/n, 802.3af,802.3u

Price: Tk. 12,000/=



24 Port 2960+ Switch (Lan Lite)

Part No:WS-C2960+24TC-S

Cisco Catalyst 2960+ 24 Port 10/100 Switch

LAN Lite with 2 SFP Uplink

Flash Memory: 64 MB, DRAM: 128 MB

Forwarding bandwidth: 16 Gbps Max VLANs: 64 for Lan Lite

Forwarding Rate(64-Byte L3 Packets): 6.5 Mpps

Configurable MAC addresses: 8000

Price: Tk. 23,500/=



CVR100 Wireless-N VPN Router

Part No: CVR100W-E-K9-UK

Four(4) LAN Port 10/100 and One(01)

Wan Port 10/100 Mbps,

Maximum 32 active wireless client,

NAT throughput: 90 Mbps,

Maximum new connections: 750,

VPN throughput: 5 Mbps,

1 IPsec site-to-site tunnel,

6 active 802.1Q-based VLAN,

Price: Tk. 6,000/=



24 Port 2960+ Switch (Lan Base)

Part No: WS-C2960+24TC-L

Cisco Catalyst 2960+ 24 Port 10/100 Switch LAN

Base with 2 SFP Uplink (10/100/1000) Flash Memory: 64 MB, DRAM: 128 MB

Forwarding bandwidth: 16 Gbps

Maximum active VLANs: 255

Forwarding Rate(64-Byte L3 Packets): 6.5 Mpps

Price: Tk. 46,000/=





24 Port 2960+ PoE Switch (Lan Base)

Part No: WS-C2960+24PC-L

Cisco Catalyst 2960+ 24 Port 10/100 PoE Switch

LAN Base with 2 SFP Uplink

Flash Memory: 64 MB, DRAM: 128 MB

Forwarding bandwidth: 16 Gbps Maximum active VLANs: 255

Forwarding Rate(64-Byte L3 Packets): 6.5 Mpps

Available PoE Power: 370W

Price: Tk. 95,000/=



24 Port 2960X Switch (Lan Base)

Part No: WS-C2960X-24TS-L

Cisco Catalyst 2960X 24 Port 10/100/1000 Switch

LAN Base with 4 SFP Uplink

Flash Memory: 64 MB, DRAM: 256 MB Forwarding bandwidth: 108 Gbps Switching bandwidth: 216 Gbps Maximum active VLANs: 1023

Forwarding Rate(64-Byte L3 Packets): 71.4 Mpps

Price: Tk. 73,000/=



24 Port 2960X Switch (Lan Lite)

Part No: WS-C2960X-24TS-LL

Cisco Catalyst 2960X 24 Port 10/100/1000 Switch

LAN Lite with 2 SFP Uplink (10/100/1000) Flash Memory: 128 MB, DRAM: 512 MB

Forwarding bandwidth: 50 Gbps Switching bandwidth: 100 Gbps Maximum active VLANs: 64

Forwarding Rate(64-Byte L3 Packets): 68.5 Mpps

Price: Tk. 57,000/=



24 Port 2960+ PoE Switch (Lan Lite)

Part No: WS-C2960+24PC-S

Catalyst 2960+ 24 Port 10/100 PoE Switch LAN Lite

with 2 SFP Uplink (10/100/1000)

Flash Memory: 64 MB, DRAM: 128 MB

Forwarding bandwidth: 16 Gbps

Maximum active VLANs: 64

Forwarding Rate(64-Byte L3 Packets): 6.5 Mpps

Available PoE Power: 370W

Price: Tk. 70,000/=

cisco



Secure users, data and apps in the cloud.



24 Port 2960X PoE Switch (Lan Base)

Part No: WS-C2960X-24PS-L

Cisco Catalyst 2960X 24 Port 10/100/1000 PoE Switch

LAN Base with 4 SFP Uplink

Flash Memory: 128 MB, DRAM: 512 MB

Forwarding bandwidth: 50 Gbps Switching bandwidth: 100 Gbps Maximum active VLANs: 1023

Forwarding Rate(64-Byte L3 Packets): 68.5 Mpps

Price: Tk. 105,000/=









48 Port 2960X Switch (Lan Base)

Part No: WS-C2960X-48TS-L

Cisco Catalyst 2960X 48 Port 10/100/1000 Switch LAN Base with 4 SFP Uplink (10/100/1000) Flash Memory: 64 MB, DRAM: 256 MB Forwarding bandwidth: 108 Gbps

Switching bandwidth: 216 Gbps Maximum active VLANs: 1023

Forwarding Rate(64-Byte L3 Packets): 71.4 Mpps

Price: Tk. 130,000/=



Cisco 891 Router

Part No: C891F-K9

Cisco 891F GbE security router with SFP LAN connections: 8 Port 10/100/1000 Mbps

with 1 Port SFP/GE & 1 Port FE Number of recommended users: 50 2x3 MIMO with radio operation

Flash Memory: 256 MB, DRAM: 512 MB

Price: Tk. 49,000/=



48 Port 2960+ Switch (Lan Lite)

Part No: WS-C2960+48TC-S

Cisco Catalyst 2960+ 48 Port 10/100 LAN Lite

2 SFP Uplink (10/100/1000)

Flash Memory: 64 MB, DRAM: 128 MB

Forwarding bandwidth: 16 Gbps Maximum active VLANs: 64

Forwarding Rate(64-Byte L3 Packets): 6.5 Mpps

Configurable MAC addresses: 8000

Price: Tk. 42,000/=



24 Port Layer 3 Switch (IP Base)

Part No: WS-C3850-24T-S

Cisco Catalyst 3850 48 Port Stackable 10/100/1000

IP Base Feature Set

Flash Memory: 2GB, DRAM: 4GB Forwarding Rate: 130.95 Mpps Switching bandwidth: 176 Gbps

Max active VLANs: 1023 & MAC Address: 32000 Forwarding Rate(64-Byte L3 Packets): 71.4 Mpps

Price: Tk. 230,000/=





cisco



.1 1.1 1. CISCO

Services you can trust



Cisco 1921 Router

Part No: CISCO1921-SEC-K9

Cisco 1921 with 2 onboard GE, 2 EHWIC slots, 256MB USB Flash (internal) 512MB DRAM Built in Security Feature License VPN Hardware Acceleration (on Motherboard): DES, 3DES, AES 128, AES 192, and AES 256 OS: Support VPN, IPSec 3DES IDS, SSH and IPv6 SSL VPN License: Inbuilt

Price: Tk. 52,000/=



Cisco 1941 Router

Part No: CISCO1941/K9

1 ISM slot, default, IP Base Memory: 512MB DRAM and 256MB Flash Maximum Memory: 2GB DRAM and 4GB Flash Two high-speed USB 2.0 ports are supported Features: WSMA,EEM,IPSLA,SNMP,RMON,Syslog, NetFlow,TR-069

Cisco 1941 with 2 onboard GE, 2 EHWIC slots,

Price: Tk. 55,000/=



Cisco 2901 Router

Part No: CISCO2901-SEC-K9

Cisco 2901 with 2 onboard GE, 4 EHWIC slots, 2 DSP slots, 1 ISM slot, Built in Security Feature License Memory: 512MB DRAM and 256MB Flash Maximum Memory: 2GB DRAM & 4GB Flash Features: SMA, EEM, IPSLA, SNMP, RMON, Syslog, NetFlow,TR-069

Price: Tk. 107,000/=



Cisco 1941 Router

Part No: CISCO1941-SEC-K9

Cisco 1941 with 2 onboard GE, 2 EHWIC slots, Built in Security Feature License Memory: 512MB DRAM and 256MB Flash Maximum Memory: 2GB DRAM and 4GB Flash Two high-speed USB 2.0 ports are supported Features: WSMA, EEM, IPSLA, SNMP, RMON, Syslog,NetFlow,TR-069

Price: Tk. 82,000/=

Get work done together.





Manage connectivity for all your Internet of Things (IoT) devices.



Cisco 2911 Router

Part No: CISCO2911-SEC/K9

Cisco 2911 with 3 onboard GE, 4 EHWIC slots, 2 DSP slots, 1 Service Module Slots Built in Security Feature License Memory: 256MB Flash, 512MB DRAM Maximum Memory: 2GB DRAM and 4GB Flash Features: WSMA,EEM,IPSLA,SNMP,RMON,Syslog,

Price: Tk. 135,000/=

NetFlow,TR-069



Cisco ISR4321 Router

Part No: ISR4321-SEC-K9

ISR 4321 with Sec bundle w/SEC license
2 onboard GE, 2 NIM slots, 1 ISC slot
Throughput: 50 Mbps to 100 Mbps
Deafult Memory: 4 GB Flash, 4 GB DRAM
Maximum Memory: 8GB DRAM and 8GB Flash
Security Features: IP Base + Advanced Security:
Zone Based Firewall,IPSec VPN, EZVPN, DMVPN

Price: Tk. 105,000/=



Cisco 2921 Router

Part No: CISCO2921-SEC-K9

Cisco 2921 with 3 onboard GE, 4 EHWIC slots, 3 DSP slots, 1 Service Module Slots Built in Security Feature License Memory: 256MB Flash, 512MB DRAM Maximum Memory: 2GB DRAM and 4GB Flash Features: WSMA,EEM,IPSLA,SNMP,RMON, Syslog,NetFlow,TR-069

Price: Tk. 175,000/=



Cisco ISR4331 Router

Part No: ISR4331-SEC-K9

ISR 4331 with Sec bundle w/SEC license
3 onboard GE, 2 NIM slots,1 ISC slot, 1 SM slots,
Throughput: 100 Mbps to 300 Mbps
Deafult Memory: 4 GB Flash, 4 GB DRAM
Maximum Memory: 16GB DRAM and 16GB Flash
Security Features: IP Base + Advanced Security:
Zone Based Firewall,IPSec VPN, EZVPN, DMVPN

Services

you can trust


Price: Tk. 165,000/=



cisco



Connect communicate and collaborate





Cisco ISR4431 Router

Part No:ISR4431-SEC-K9

ISR 4431 with Sec bundle w/SEC license 4 onboard GE,3 NIM slots,1 ISC slot Throughput: 500 Mbps to 1 Gbps

Deafult Memory: 8 GB Flash, 4 GB DRAM

Maximum Memory: 16GB DRAM and 32GB Flash

Security Features: IP Base + Advanced Security:

Zone Based Firewall, IPSec VPN, EZVPN, DMVPN

Price: Tk. 450,000/=



Cisco ASA5506 Firewall

Part No: ASA5506-SEC-BUN-K9

ASA 5506-X with FirePOWER services and Security Plus license 8GE,AC,3DES/AES

Throughput: 750 Mbps

Memory: 4 GB and Flash: 8 GB

Maximum concurrent sessions: 20,000; 500001, Maximum New Connections per second: 5000 Supported applications: More than 3,000

Price: Tk. 58,000/=





Cisco ASA5506 Firewall

Part No: ASA5506-K9

ASA 5506-X with FPWR services,8GE,AC, 3DES/AES

Throughput:: 750 Mbps

Memory: 4 GB and Flash: 8 GB

Maximum concurrent sessions: 20,000; 500001, Maximum New Connections per second: 5000 Supported applications: More than 3,000 IPsec site-to-site VPN peers: 10; 50

Price: Tk. 50,000/=



Cisco ASA5512 Firewall

Part No: ASA5512-FPWR-K9

ASA 5512-X with FirePOWER Services, 6GE data, AC,

3DES/AES, SSD, 1 GBPS Throughput

Memory: 4 GB and Flash: 4 GB

Maximum concurrent sessions: 100,000

Maximum New Connections per second: 10,000

Supported applications: More than 3,000

IPsec site-to-site VPN peers: 250

Price: Tk. 165,000/=







Cisco ASA5516 Firewall

Part No: ASA5516-FPWR-K9

ASA 5516-X with FirePOWER services, 8GE Data, 1GE Mgmt, AC, 3DES/AES, 1.8 Gbps Throughput

Memory: 8 GB and Flash: 8 GB

Maximum concurrent sessions: 100,000

Maximum New Connections per second: 10,000

Supported applications: More than 3,000 IPsec site-to-site VPN peers: 300

Delines Tl. 400 000/

Price: Tk. 198,000/=



Cisco IP Phone

Part No: CP-7841-K9=

Cisco 7841 VoIP/SIP Phone,4-Lines,2-ports Supports: IEEE 802.3af PoE (Class 1), Cisco Unified Communications Manager

Codec: G.711a/µ, G.722, G.729a, iLBC

Display: 3.5"" 396x162 pixels

Security Authentication: Image, Device, File

Signaling,802.1X & Media encryption, Cryptography

Price: Tk. 25,000/=



Cisco IP Phone

Part No:CP-3905

10/100BASE-T wired LAN port plus switched PC port, IEEE PoE 802.3af is supported, Class 1 SDRAM: 32 MB and Flash: 4 MB Call features:Auto barge,Call forward,Call waiting,Call transfer,Conference,Forced Authorization Codes (FAC), Group call pickup Audio codec support:G.711a/µ,G.729/a,G.729ab.

Price: Tk. 6,000/=



Cisco 2504 Controller

Part No: AIR-CT2504-5-K9

2504 Wireless Controller with 5 AP Licenses

Supports up to 75 access points

Supports up to 1000 clients

Supports up to 1 Gbps throughput

Wireless Standards: IEEE 802.11a/ac/b/g/d

Price: Tk. 45,000/=











Cisco Access Point

Part No: AIR-AP1832I-C-K9

Cisco Access Point 1800 Series; 802.11ac Wave 2 1 x 10/100/1000BASE-T RJ45 Port, Dual-band USB 2.0 (enabled via future software) Controller-based 802.11a/g/n/ac, Wave 2 3x3 MIMO with two spatial streams Data rates up to 300 Mbps(40 MHz with 5 GHz) DRAM 1 GB & Flash 256 MB

Price: Tk. 30,000/=



Cat-6 UTP Cable (Systimax)

Part No: 700211931

GigaSPEED® XL 1071E ETL Verified Category 6 U/UTP Cable, non-plenum, slate jacket Conductor Gauge, singles- 23 AWG Solid Conductor Type and Qty 8 Operating Freq & Volt, max 300 MHz & 80 V 4 pair count, 1000 ft (305 m) length Packaging Type WE TOTE® box

Price: Tk. 13,000/=



Cisco Video Conference

Part No: CTS-SX20

Cisco TelePresence SX20 Quick Set with video conferencing system
Supports multipoint, MultiSite technology
Provides up to 1080p60 resolution
Audio Standards: G.711, G.722, G.722.1, G.728, G.729, AAC-LD and OPUS

Price: Tk. 450,000/=



Part No: 700206717

Modular, GigaSPEED® XL MGS400 Series Category 6 U/UTP Information Outlet

Conductor Gauge, solid: 22 AWG I 24 AWG Plug Insertion Life, minimum: 750 times Material Type: Copper alloy I High-impact, flame retardant, thermoplastic. Wiring: T568A

T568BRear Termination Contact Plating: Nickel

Price: Tk. 500/=



P SURVILLEN



cisco AWARDS





















The worldwide leader in IT and Networking



FLORA LIMITED



HOTLINE 01719 048 351, 9567646, 7162742-46-Ext-196 E-mail: cisco@floralimited.com

Corporate Headquarters: Adamjee Court Annex-2 (4th Floor), 119-120, Motijheel C/A, Dhaka. Tel: 9587255-9, 9567846, Fax: 88-02-9550030

Our Branches:- Dhaka Zone: Motijheel: 9565445; 9565454, CHQ-7: 01711 107220, Rajuk: 9567920, Hardware: 9559636, Fakirapool: 7192535, 🗟 Eastern Plus: 9348698, Shantinagar: 8322628, Elephant Road: 9615140-41, Multiplan: 9614266, Dhanmondi: 9664399; 58616902, Shatmasjid Road: 🖁 8143199, Bashundhara City: 9103389; 9103959, Banani Ground Floor: 9821911, Banani: 9820932; 9821995, Badda: 58814533, Gulshan: 9842028; 9842899, Jamuna Future Park: 9823329; 9823257, Uttara: 7913521; 7913541, IDB Bhaban: 9183193; 9183210 | Out of Dhaka : Narayangonj: 840842-43, Agrabad: 031-715363-64, Younusco Sales Center (Ctg): 031-2853032, Lalkhan Bazar: 031-616923; 616927; 616959 Bogra: 051-61661; 051-60244, Barisal: 0431-2176198, Khulna: 041-731713, Rajshahi: 0721-771037, Rangpur: 0521-56086-87, Sylhet: 0821-720333; 723349-50