COLOUR INKJET WORKFORCE PRO WF-R8591





With a Replaceable Ink Pack System (RIPS), the Epson WorkForce Pro WF-R8591 is designed to fit all your business printing needs. Save printing costs and minimise downtime with high-capacity ink packs capable of printing up to 75,000 pages. Achieve high-quality and high-speed printing with Epson's PrecisionCore[™] printhead, with draft print speeds of up to 34ppm and resolutions of up to 4,800 x 1,200 dpi.





Bundled with 4 Epson Ink Packs, with options to add up to 2 Paper Cassettes and 1 Cabinet.

ENGINEERED FOR BUSINESS

High Quality and Productivity

PRECISIONCORE

Print up to 4,800 x 1,200 dpi and enjoy unparalleled productivity with no warm-up time and fast first page out time of less than 7 seconds.

Versatile Paper Handling

Expand paper handling capabilities with optional paper cassettes and a rear tray for special media.

Exceptional Low Running Costs

Maximise cost-savings with Epson's extremely high-yield replaceable ink packs, capable of printing up to 75,000 pages.

Equipped with high-yield replaceable ink packs and powered by Epson's PrecisionCore[™] technology, the WF-R8591 has the speed and performance required for office, commercial and industrial printing. Coupled with a package of security, connectivity and functional features, you'll be set to keep your business' productivity at its peak.



High Quality and Productivity



Enjoy default print speeds of up to 24 ipm and draft print speeds of up to 34 ppm for both black and colour prints with PrecisionCoreTM printheads. This revolutionary technology delivers professional output quality at blazing speeds.

Achieve excellent print resolution of 600×600 dpi for standard prints and up to $4,800 \times 1,200$ dpi for prints with special media, with no warm-up time and a fast first page-out time of less than 7 seconds.

Exceptional Low Running Costs



With Epson's Replaceable Ink Pack System (RIPS), exorbitant printing costs are a thing of the past. The revolutionary RIPS features four ink supply units and a waste ink box, giving you up to 75,000 pages of uninterrupted printing in both black and colour. With such page yields, you enjoy maximum cost savings and minimum running costs.

C12C847261

onsumables		Page Yield*	Order Code
Black Ink Pack		75,000 pages	C13T846190
)yan Ink Pack	}		C13T846290
lagenta Ink Pack		75,000 pages (Composite Yield)	C13T846390
ellow Ink Pack			C13T846490
laintenance Box			C13T671200
Replacement Pick Up Roller		200,000 pages	C13S990011
Options			Order Code
00-sheets Option Paper Cassette			C12C817061

500-sheets Option Paper Cassette Option Cabinet

С

В

С

Μ

Ye

Μ

R

0

* In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and printhead maintenance All inks are used for both black and colour printing.

Versatile Paper Handling

The WF-R8591 can be upgraded with additional paper cassettes to support up to 1,831 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. A single sheet priority input is also available for manual feeding of templates such as letter heads and the rear tray enables the use of special media such as photo media. What's more, a cabinet can be added for convenient storage of additional paper and spare consumables.



Connectivity Features

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct* and USB 2.0, the WF-R8591 is perfect for office environments. Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time. And with EpsonNet Config, you can easily change your network settings remotely.



* Wi-Fi and Wi-Fi Direct cannot be used simultaneously.

Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- **Epson Email Print** Print to any Email Print-enabled Epson printer from any device or PC with email access.
- **Remote Print Driver** Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple[®] AirPrint[™]
- Google Cloud Print[™]

Convenient Ease of Use



Automatic Duplex Printing

Supports automatic duplex printing of up to 16 ipm for A4 and 11 ipm for A3, reducing paper wastage.



5" LCD Screen

Experience easy set-up and PC-less operation with a 5" colour touch screen.



USB Host Function

Comes equipped with a USB port so you can print, scan and save faxes directly to your memory devices.

One-pass Duplex Scanner

Scan with impressive speed in both simplex and duplex. The dual CIS technology allows duplex scanning in a single pass, resulting in significant improvements in office productivity.

Robust Security Features

Limited Access Function

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode


Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Efficient Print Job Management

With our convenient and accessible print management features, printing across your work groups has never been easier.

Print Job Arranger Lite

This printing tool allows users to merge multiple print jobs and change print settings such as double-side printing, orientation, colour mode and multipage layout up to 4-up. Users can also rearrange the page order of print jobs between applications.



Print Job Interruption

With this feature, users can interrupt the print queue when there is an urgent print job. Interrupted print jobs are paused and can be resumed later once the urgent tasks are completed. In addition, users can cancel the print job from the control panel even when the printer is in the process of printing.

Page Recovery

Minimise downtime when a printer error occurs. The printer will automatically restart the printing once error is rectified.

Remarkably Energy Saving



Epson WF-R8591 is Energy Star[®] Compliant, giving you significant energy savings. Unlike conventional laser copiers/printers, it uses no heat and is more environmentally friendly.

SPECIFICATIONS WORKFORCE PRO WF-R8591



MODEL NUMBER Printing	WF-R8591
Print Method	PrecisionCore™ Print Head
Nozzle Configuration	400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow)
Print Direction	Bi-directional printing, Uni-directional printing
Maximum Resolution Minimum Ink Droplet Volume	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology) 3.7 pl
Print Speed	ол рі
Max Draft Text, A4 ⁻¹ , (Black ^{#1} / Colour ^{#2})	Simplex: Approx. 34 ppm / 34 ppm
ISO 24734, A4 (Black / Colour) ISO 24734.2, A3 (Black / Colour)	Simplex: Approx. 24ipm / 24ipm, Duplex: Approx: 16 ipm / 16ipm Simplex: Approx. 13ipm / 13ipm, Duplex: Approx: 11 ipm / 11 ipm
First Page Out Time (Black / Colour)	Approx. 5 sec / 7 sec
Printer Language	ESC/P-R
Printer Control Language Emulations Maximum Monthly Duty Cycle	PCL5c / PCL6 / PostScript3 / PDF (ver1.7) 75,000 pages per month
Automatic 2-sided printing	Yes
Copying	
Copy Speed	Approx 00 ipm / 01 ipm
ISO 29183, A4, Flatbed (Black / Colour) ISO 24735, A4, ADF (Black / Colour)	Approx. 22 ipm / 21 ipm Simplex: Approx 22ipm / 21ipm, Duplex: Approx. 15ipm / 15ipm
Maximum Copies from Standalone	999 copies
Max Copy Resolution	600 x 600 dpi
Reduction/Enlargement Copy Paper Size (Flatbed)	25 - 400%, Auto Fit Function 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, 8 x 10", Letter, A4, Legal, A3, 11 x 17"
Maximum Copy Size	A3
Scanning	·
Scanner Type	Flatbed colour image scanner
Sensor Type Optical Resolution	CIS 1,200 x 2,400 dpi
Maximum Scan Area	297.18 x 431.8 mm (11.7 x 17")
Scanner Bit Depth	
Colour	30-bit input, 24-bit output
Grayscale Black & white	10-bit input, 8-bit output 10-bit input, 1-bit output
Scan Features	Scan to Memory Device, Scan to Network Folder/FTP, Scan to Email, Scan to Computer
Coop Chood (A.4.1)	(Document Capture Pro), Scan to Computer (WSD)
Scan Speed (A4 Landscape) Monochrome 200dpi	Flatbed ADF Simplex ADF Duplex 5 sec 23 ppm 25 ipm
Colour 200dpi	5 sec 23 ppm 25 ipm
ADF Function	
Support Paper Thickness	52-105 g/m ²
Paper Capacity Automatic 2-sided Scan / Copy / Fax	50 pages (80 g/m²) Yes
Fax Function	
Type of Fax	Walk-up black-and-white and colour fax capability
Receive Memory / Page Memory Error Correction Mode	6 MB, Page memory Up to 550 pages (ITU-T No.1 chart)
Fax Speed (Data Transfer Rate)	ITU Group3 fax with Error Correction Mode. Up to 33.6kbps, Approx. 3sec/page
Fax Resolution	the second of th
Black & White	Standard: 8pels/mm x 3.85lines/mm, Fine: 8pels/mm x 7.7lines/mm, Super Fine: 8pels/mm x 15.4lines/mm,
Colour	Ultra Fine: 16pels/mm x 15.4lines/mm, Photo: 8pels/mm x 7.7lines/mm Fine: 200 x 200dpi, Photo: 200 x 200dpi
Transmission Paper Size	Tille. 200 X 2004pi, Thoto. 200 X 2004pi
Flatbed	A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17"
ADF	A5, B5, Letter, A4, Legal, B4, A3, 11 x 17"
Receiving Paper Size Speed Dial / Group Dial	A5, Half Letter, B5, Letter, A4, Legal, B4, A3, 11 x 17" Up to 200 numbers, 199 groups
Fax Features	PC Fax (Transmission/Receive), Automatic Redial, Address Book, Delay Send, Transmit Reservation
	(200 cases), Broadcast Fax (Mono Only)
Paper Handling Paper Feed Method	Friction feed
Number of Paper Trays	4 (Front 2, Rear 1, Manual Feed 1)
Paper Hold Capacity	
Input Capacity	Up to 831 sheets (80 g/m²) (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 80 sheets +
Maximum Input Capacity	Front Manual Feed: 1 sheet) Up to 1,831 sheets (80 g/m ²) (Cassette 1: 250 sheets + Cassette 2: 500 sheets + Rear Slot: 80 sheets +
maximum input capacity	Front Manual Feed: 1 sheet + 2 x Optional Cassettes: 500 x 2 sheets)
Output Capacity	250 sheets
Paper Size	A3+, A3, A4, B5, A5, A6, 5 x 7", 4 x 6", Legal, Letter, Envelopes: #10, DL, C6, C4
Maximum Paper Size Printer Interface	A3+, 329 x 1200 mm (12.95 x 47.24")
USB	Hi-Speed USB 2.0
Network	Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct
Network Protocol Network Printing Protocol	TCP/IPv4, TCP/IPv6
Network Printing Protocol Network Management protocols	LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD
Security Features	Limit Access Function, PIN No. Certification, LDAP Address Book, IP Address Filtering, Panel Admin Mode
USB Host Function	
Type of Direct Printing	Memory Devices
USB Host Direct Print Paper Size	USB Host (Scan to memory device / Storage function) 9 x 13 cm (3.5 x 5"), A6, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), A5, B5(JIS), Letter, A4, Legal, A3, 11 x 17"
Mobile and Remote Printing	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple AirPrint, Google Cloud Print
Control Panel	
LCD Screen Printer Software	5.0" / 12.7cm TFT Colour LCD
Operating System Compatibility	Windows XP / XP Professional x64 Edition / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.x or later
Electrical Specifications	
Rated Voltage	100 - 240V Universal
Rated Frequency	50 - 60 Hz
Power Consumption Operating	40W
Standby	40W 18W
Sleep	2.7W
Power off	0.4W
Noise Level PC Printing/ Premium Glossy	5.3 B(A), 40 dB(A)
Photo Paper Best Photo	
PC Printing/ Plain Paper Default *2	6.5 B(A), 50 dB(A)



767mm (30.2")

WF-R8591 with 2 x Optional Paper Cassettes & Cabinet Weight: 95.4kg (210.3lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



*2 Default mode in accordance with ISO7779 for MFPs.



© 2015 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed November 2015