



HP EliteDisplay E190i 18.9-in 5:4 LED Backlit IPS Monitor

The legacy friendly, business-critical IPS display. Get a 5:4 aspect ratio display designed for all of your business-specific applications, now with the impeccable presentation and extra-wide viewing angles of IPS technology. Enjoy customizable comfort from a completely adjustable stand and be environmentally responsible with designed-in energy efficiency.



Now see everything.

- Get great 178-degree viewing angles and stunning color integrity from In-Plane Switching (IPS) technology. Accurately view sharp images and consistent color from almost any angle—with less distortion than conventional TN (Twisted Nematic) panels.

Stay the course.


- Keep the 5:4 aspect ratio that your business-specific enterprise and public sector applications are designed to work with. Enjoy ample space for all your tasks on the 18.89-inch diagonal screen.

Power through your day in comfort.

- Find your most comfortable viewing position with customizable tilt, height adjustment, swivel, and pivot settings.

Help control your environmental impact.

- Reduce power consumption and help lower your costs with an intelligent, energy efficient design that's ENERGY STAR® qualified and EPEAT® Gold registered.¹



HP EliteDisplay E190i 18.9-in 5:4 LED Backlit IPS Monitor Specifications Table



Product Number	E4U30AA
Display Size (diagonal)	18.9"
Viewing Angle	178° horizontal; 178° vertical
Brightness	250 cd/m ² ¹
Contrast Ratio	1000:1 static; 3000000:1 dynamic ¹
Response Ratio	8 ms gray to gray ¹
Aspect Ratio	5:4
Native Resolution	1280 x 1024
Resolutions Supported	1280 x 1024; 1280 x 800; 1024 x 768; 800 x 600; 720 x 400; 640 x 480
Display Features	Plug and Play; Anti-glare; Anti-static; Asset control; User programmable; Language selection; On-screen controls; LED Backlights; Pivot rotation; In Plane Switching panel
Input Signal	1 VGA; 1 DVI-D; 1 DisplayPort
Ports and Connectors	3 USB 2.0 (one upstream, two downstream)
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	28 W (maximum), 25 W (typical), < 0.5 W (standby)
Dimensions with Stand (W x D x H)	16.4 x 7.5 x 19.1 in (at full height) 41.7 x 19.2 x 48.6 cm (at full height)
Dimensions without Stand (W x D x H)	16.4 x 1.8 x 13.6 in 41.7 x 4.7 x 34.7 cm
Weight	10.8 lb 4.9 kg With stand
Ergonomic Features	Tilt: -5 to +25°; Swivel: ±180°
Environmental	Mercury-free display backlights; Arsenic-free display glass; Low halogen ²
Energy Efficiency Compliance	ENERGY STAR® qualified, EPEAT® Gold.
Expandable Solutions	Your ideal compact, space saving configuration begins with a HP EliteDisplay E190i monitor combined with an HP Integrated Work Center Stand - USDT/Thin Clients (LH526AA) with attached Ultra Slim Desktop or Thin Client PC for a small footprint, All-in-Two form factor.
Warranty	Limited three years parts, labor, and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. Consult HP Customer Service for details. For details, contact HP Customer Support.

See important legal disclaimers on the last page

Accessories and services (not included)

HP DVI to DVI Cable



DVI's are used on graphics card, LCD Monitors, HDTV, Plasma Displays and other video displays
Product number: DC198A

HP LCD Monitor Quick Release Mount



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.
Product number: EM870AA

HP USB Graphics Adapter



The super-compact HP USB Graphics Adapter enables connection of up to six simultaneous displays (one per adapter) to help you boost productivity and multi-task across several open applications.
Product number: NL571AA

HP LCD Speaker Bar



The LCD Speaker Bar seamlessly attached to the bezel of the HP Business Monitor and provides full multimedia capabilities.
Product number: NQ576AA

hp Business PC Security Lock Kit



Protect your HP Business PC from tampering or theft in public locations by locking-down peripherals such as mice, keyboards, monitors or USB security devices and preventing the removal of the PC chassis cover.
Product number: PV606AA

HP 5 year Next business day Exchange Medium Monitor Only Service



HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that can easily be shipped and on which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to onsite support. HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charges to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit <http://www.hp.com/go/cpc>
Product number: UOJ11E

Messaging Footnotes

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

² External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

⁴ HP Care Pack Services are sold separately. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply. See www.hp.com/go/cpc for details.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

Learn more at
hp.com

Sign up for updates
hp.com/go/getupdated

©Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered U.S. marks.

