


Sophos XG Firewall

Unrivalled Security, Simplicity and Insight

Sophos XG Firewall brings a fresh new approach to the way you manage your firewall, respond to threats, and monitor what's happening on your network.





Sophos XG Firewall

Sophos XG Firewall provides comprehensive next-generation firewall protection that blocks unknown threats, automatically responds to incidents, and exposes hidden risks

Blocks unknown threats

Sophos XG Firewall provides all the latest advanced technology you need to protect your network from ransomware and advanced threats including top-rated IPS, Advanced Threat Protection, Cloud Sandboxing, Dual AV, Web and App Control, Email Protection and a full-featured Web Application Firewall. And it's easy to setup and manage.

Automatically responds to incidents

XG Firewall is the only network security solution that is able to fully identify the source of an infection on your network and automatically limit access to other network resources in response. This is made possible with our unique Sophos Security Heartbeat™ that shares telemetry and health status between Sophos endpoints and your firewall.

Exposes hidden risks

Sophos XG Firewall provides unprecedented visibility into top risk users, unknown apps, advanced threats, suspicious payloads and much more. You also get rich on-box reporting included at no extra charge and the option to add Sophos iView for centralized reporting across multiple firewalls.

Potent, powerful ... fast

We've engineered XG Firewall to deliver outstanding performance and security efficiency for the best return on your investment. Our appliances are built using Intel multi-core technology, solid-state drives, and accelerated in-memory content scanning. In addition, Sophos FastPath packet optimization technology ensures you'll always get maximum throughput.

Simply manage multiple firewalls

Sophos Firewall Manager provides a single console for the complete central management of multiple XG Firewalls. And if you also want to consolidate reporting across multiple XG, SG, and Cyberoam appliances then with Sophos iView, you can.



Security features you can't get anywhere else

XG Firewall includes a number of innovations that not only make your job a lot easier, but also ensure your network is more secure.

A revolution in advanced threat protection – Sophos Synchronized Security

An industry first, Synchronized Security links your endpoints and your firewall to enable unique insights and coordination. Security Heartbeat™ relays Endpoint health status and enables your firewall to immediately identify and respond to a compromised system on your network. The firewall can isolate systems until they can be investigated and cleaned up. Another Synchronized Security feature, Synchronized App Control, also enables the firewall to query the endpoint to determine the source of unknown traffic on the network.

Patented Layer-8 identity control

User identity takes enforcement to a whole new layer with our patented Layer-8 identity based policy technology enabling user level controls over applications, bandwidth and other network resources regardless of IP-address, location, network or device. It literally takes firewall policy to a whole new layer.

XG Series

Purpose-built devices to provide the ultimate in performance.



Install the Sophos Firewall
OS image on your own
Intel hardware or server.

Policy templates get you protected fast

Pre-defined policy templates let you protect common applications like Microsoft Exchange or SharePoint quickly and easily. Simply select them from a list, provide some basic information and the template takes care of the rest. It sets all the inbound/outbound firewall rules and security settings for you automatically – displaying the final policy in a statement in plain English.


Automated user risk reports

The Sophos User Threat Quotient (UTQ) indicator is a unique feature which provides actionable intelligence on user behavior. Our firewall correlates each user's surfing habits and activity with advanced threat triggers and history to identify users with risk-prone behavior.

Flexible deployment, no compromise

Unlike our competitors, whether you choose hardware, software, or virtual, we don't make you compromise – every feature is available on every model and form- factor.

To find out more visit www.sophos.com/xgfirewall



Install on VMware, Citrix, Microsoft Hyper-V and KVM.



Protect your network infrastructure in the Azure cloud



Network Protection

All the protection you need to stop sophisticated attacks and advanced threats while providing secure network access to those you trust.

Next-gen Intrusion Prevention System

Provides advanced protection from all types of modern attacks. It goes beyond traditional server and network resources to protect users and apps on the network as well.

Advanced Threat Protection

Instant identification and immediate response to today's most sophisticated attacks. Multi-layered protection identifies threats instantly and Security Heartbeat $^{\text{TM}}$ provides an emergency response.

Security Heartbeat

Creates a link between your Sophos Central protected endpoints and your firewall to identify threats faster, simplify investigation and minimize impact from attacks. Easily incorporate Heartbeat status into firewall policies to automatically isolate compromised systems.

Advanced VPN technologies

Adds unique and simple VPN technologies including our clientless HTML5 self-service portal that makes remote access incredibly simple or utilize our exclusive light-weight secure RED (Remote Ethernet Device) VPN technology.

Web Protection

Comprehensive web protection and application control with powerful and flexible policy tools ensure your networked users are secure and productive.

Powerful user and group web policy

Provides enterprise-level Secure Web Gateway policy controls to easily manage sophisticated user and group web controls. Apply policies based upon uploaded web keywords indicating inappropriate use or behavior.

Advanced Web Threat Protection

Backed by SophosLabs, our advanced engine provides the ultimate protection from today's polymorphic and obfuscated web threats. Innovative techniques like JavaScript emulation, behavioral analysis, and origin reputation help keep your network safe.

High performance transparent proxy

Optimized for top performance, our transparent proxy technology provides ultra-low latency inspection and HTTPS scanning of all traffic for threats and compliance.

Layer-8 Application Control and QoS

Enables user-aware visibility and control over thousands of applications with granular policy and traffic-shaping (QoS) options based on application category, risk, and other characteristics

Sandstorm Protection

Sophos Sandstorm uses next-gen cloud-sandbox technology to give your organization an extra layer of security against ransomware and targeted attacks.

No Additional Hardware

It integrates with your XG Firewall and is cloud-delivered so there's no additional hardware required. Sophos Sandstorm blocks evasive threats like ransomware, disguised as executables, PDFs, and Microsoft Office documents — sending them to a cloud-sandbox to be detonated and observed in a safe environment.

Better Protected, Better Informed

Threat intelligence is fed back to your XG Firewall and the file blocked or permitted. The process takes just a couple of minutes with minimal impact for the user. And Sandstorm gives you detailed threat reports for every incident so you know exactly what's going on.

Email Protection

Full SMTP and POP message protection from spam, phishing and data loss with our unique all-in-one protection that combines policy-based email encryption with DLP and anti-spam.

Integrated Message Transfer Agent

Ensures always-on business continuity for your email, allowing the firewall to automatically queue mail in the event servers become unavailable.

Live Anti-Spam

Provides protection from the latest spam campaigns, phishing attacks, and malicious attachments.

Self-serve Quarantine

Gives employees direct control over their spam quarantine, saving you time and effort.

SPX Email Encryption

Unique to Sophos, SPX makes it easy to send encrypted email to anyone, even those without any kind of trust infrastructure using our patent-pending password-based encryption technology.

Data Loss Prevention

Policy based DLP can automatically trigger encryption or block/notify based on the presence of sensitive data in emails leaving the organization.

Web Server Protection

Harden your web servers and business applications against hacking attempts with a full-featured Web Application Firewall while providing secure access with reverse proxy authentication.

Business Application Policy Templates


Pre-defined policy templates let you protect common applications like Microsoft Exchange Outlook Anywhere or SharePoint quickly and easily.

Protection from the latest hacks and attacks

With a variety of advanced protection technologies including URL and form hardening, deep-linking and directory traversal prevention, SQL injection and cross-site scripting protection, cookie signing and more.

Reverse proxy

With authentication options, SSL offloading, and server load balancing ensure maximum protection and performance for your servers being accessed from the internet.



How to Buy

Every XG Firewall comes equipped with Base Firewall functionality including IPSec, SSL VPN, and Wireless Protection. You can extend protection with our bundles or by adding protection modules individually.



All the protection you need to stop sophisticated attacks and advanced threats while providing secure network access to those you trust.



Sophos Sandstorm uses next-gen cloud-sandbox technology to give your organization an extra layer of security against ransomware and targeted attacks.




Comprehensive web protection and application control with powerful and flexible policy tools ensure your networked users are secure and productive.



Links your Sophos endpoints with your firewall to deliver unparalleled protection from advanced threats and reduce the time and complexity of responding to security incidents.



Full SMTP and POP message protection from spam, phishing and data loss with our unique all-in-one protection that combines policy-based email encryption with DLP and anti-spam.



Harden your web servers and business applications against hacking attempts while providing secure access to external users with reverse proxy authentication.

A simple approach to comprehensive support

We build products that are simple yet comprehensive. And, we take the same approach with our support. With options ranging from basic technical support to those including direct access to senior support engineers and customized delivery.

| Licenses names | Standard Included with purchase | Enhanced Included in all bundles | Enhanced Plus |
|--|---|---|---|
| Support Via telephone and email | For 90 days (business hours only) | Included (24x7) | VIP Access (24x7) |
| Security Updates & Patches For the life of the product | Included with an active software subscription | Included with an active software subscription | Included with an active software subscription |
| Software Feature Updates & Upgrades | Included 90-days | Included | Included |
| Consulting Remote consultation on your firewall configuration and security with a Sophos Senior Technical Support Engineer | | | Included (up to 4 hours) |
| Warranty and RMA For all hardware appliances | 1 year (return / replace) | Advance Exchange (max. 5 years) | Advance Exchange (max. 5 years) |
| Technical Account Manager Dedicated named technical account manager | | Optional (extra cost) | Optional (extra cost) |

Synchronized Security

Security Heartbeat™ - Your firewall and your endpoints are finally talking

Sophos XG Firewall is the only network security solution that is able to fully identify the user and source of an infection on your network and automatically limit access to other network resources in response. This is made possible with our unique Sophos Security Heartbeat™ that shares telemetry and health status between Sophos endpoints and your firewall.


The good news is, this all happens automatically, and is successfully helping numerous businesses and organizations to save time and money in protecting their environments today.

Synchronized App Control - Revealing the unknown

Using the Security Heartbeat we can do much more than just see the health status of an endpoint. We also have a solution to one of the biggest problems most network administrators face today - lack of visibility into network traffic.

Synchronized App Control automatically identifies, classifies and controls custom, evasive, and generic web applications which are currently going unidentified. Because these applications become visible, policies can also be applied to them, putting them fully under your control.

To find out more, visit sophos.com/xqfirewall



But there's more...

Synchronized Security can connect much more than just your firewall and your endpoints. Using Sophos Central as our synchronized security platform, we are adding many more solutions to improve your protection.

To find out more, visit our Synchronized Security page on our website.

Sophos XG Series Appliances – at a glance

Our XG Series hardware appliances are purpose-built with the latest multi-core Intel technology, generous RAM provisioning, and solid-state storage. Whether you're protecting a small business or a large datacenter, you're getting industry leading performance.

Product Matrix

| Model | | | | Tech. Specs | | | Throu | ghput¹ | |
|-----------|------------|----------------|----------------------------|----------------------------|-------------------------|--------------------|---------------|----------------|--------------------|
| | Revision # | Form Factor | Ports/Slots (Max Ports) | w-model 802.11 wireless | Swappable Components | Firewall (Mbps) | VPN (Mbps) | NGFW (Mbps) | AV-proxy (Mbps) |
| XG 85(w) | 1 | desktop | 4 | a/b/g/n | n/a | 2000 | 200 | 235 | 330 |
| XG 105(w) | 2 | desktop | 4 | a/b/g/n | n/a | 3000 | 300 | 270 | 430 |
| XG 115(w) | 2 | desktop | 4 | a/b/g/n | n/a | 3,500 | 350 | 310 | 520 |
| XG 125(w) | 2 | desktop | 8 | a/b/g/n/ac | n/a | 5,000 | 410 | 360 | 590 |
| XG 135(w) | 2 | desktop | 8 | a/b/g/n/ac | n/a | 7,000 | 950 | 880 | 1,400 |
| XG 210 | 3 | 1U | 8/1 (16) | n/a | opt. ext. Power | 16,000 | 1,450 | 2,200 | 2,300 |
| XG 230 | 2 | 10 | 8/1 (16) | n/a | opt. ext. Power | 20,000 | 1,700 | 3,000 | 2,800 |
| XG 310 | 2 | 10 | 12/1 (20) | n/a | opt. ext. Power | 28,000 | 2,750 | 4,000 | 3,300 |
| XG 330 | 2 | 1U | 12/1 (20) | n/a | opt. ext. Power | 33,000 | 3,200 | 5,500 | 6,000 |
| XG 430 | 2 | 10 | 10/2 (26) | n/a | opt. ext. Power | 41,000 | 4,800 | 6,000 | 6,500 |
| XG 450 | 2 | 10 | 10/2 (26) | n/a | opt. int. Power | 50,000 | 5,500 | 7,500 | 7,000 |
| XG 550 | 2 | 2U | 8/4 (32) | n/a | Power, SSD, Fan | 65,000 | 8,400 | 9,000 | 10,000 |
| XG 650 | 2 | 2U | 8/6 (48) | n/a | Power, SSD, Fan | 85,000 | 9,000 | 10,000 | 13,000 |
| XG 750 | 2 | 2U | 8/8 (64) | n/a | Power, SSD, Fan | 100,000 | 11,000 | 11,800 | 17,000 |

Sophos XG Firewall TotalProtect Plus Bundle

For the ultimate in protection, value, and peace-of-mind, get our convenient TotalProtect Plus bundle.

| What you get | TotalProtect Plus Bundle |
|---|--------------------------|
| Base Firewall Firewall, IPsec and SSL VPN, Wireless Protection (APs sold separately) | ✓ |
| Network Protection IPS, RED, HTML5 VPN, ATP, Security Heartbeat | ~ |
| Web Protection Anti-malware, Web and App visibility, control, and protection | ✓ |
| Email Protection Anti-spam, SPX Email Encryption, and DLP | ✓ |
| Web Server Protection Web Application Firewall and reverse proxy | ~ |
| Sandstorm Protection next-gen cloud-sandbox technology | ✓ |
| Enhanced Support 24x7 support, security and software updates, adv. exchange warranty | ✓ |
| XG Series Hardware Appliance Multi-core Intel processor, solid-state storage, flexible connectivity | ~ |

Sophos XG Series Desktop Appliances: XG 85 and XG 85w

Technical Specifications

These entry-level desktop firewalls are the ideal choice for budget-conscious small businesses, retail and small or home offices. They are available with and without integrated wireless LAN, so you can have an all-in-one network security and hotspot solution without the need for additional hardware. The Intel dual-core technology makes them highly efficient and as they're fanless, they won't add unwanted noise to your office space.

Note: The XG 85 and 85w do not support some advanced features like on-box reporting, dual AV scanning, WAF AV scanning and the email message transfer agent (MTA) functionality. If you need these capabilities, the XG 105(w) is recommended.



2 x external antennas (XG 85w only) 2 x USB 2.0 2 x USB 2.0 DC IN DC

| Environment | |
|------------------------|--|
| Power consumption | 3.24W, 11.04 BTU/h (idle) 5.64W, 19.232 BTU/h (full load) |
| Operating temperature | 0-40°C (operating) -20 to +80°C (storage) |
| Humidity | 10%-90%, non-condensing |
| Product Certifications | |
| Certifications | CB, CE, FCC Class B, IC, VCCI, |

(RJ45)

4 x 1GbE

MIC, RCM, UL, CCC

| Performance ¹ | XG 85(w) Rev. 1 |
|---|------------------------|
| Firewall throughput | 2 Gbps |
| Firewall IMIX | 780 Mbps |
| VPN throughput | 200 Mbps |
| IPS throughput | 510 Mbps |
| NGFW (IPS + App Ctrl + WebFilter) max. | 235 Mbps |
| Antivirus throughput (proxy) | 330 Mbps |
| Concurrent connections | 2,000,000 |
| New connections/sec | 18,000 |
| Maximum licensed users | unrestricted |

| Wireless Specification (XG 85w only) | |
|--------------------------------------|---------------------------------|
| No. of antennas 2 external | |
| MIMO capabilities | 2 x 2:2 |
| Wireless interface | 802.11a/b/g/n (2.4 GHz / 5 GHz) |

| Physical interfaces | |
|-----------------------------|--|
| Storage | 8 GB eMMC |
| Ethernet interfaces (fixed) | 4 GE copper |
| I/O ports (rear) | 2 x USB 2.0 1 x COM (RJ45) |
| Power supply | External auto ranging DC: 12V, 100-240VAC, 50-60 Hz |

| Physical specifications | |
|--------------------------------------|--|
| Mounting | Rackmount kit available (to be ordered separately) |
| Dimensions Width x Depth x Height | 225 x 150 x 44 mm 8.86 x 5.91 x 1.73 inches |
| Weight | 0.95 kg / 2.09 lbs (unpacked) 1.97 kg / 4.34 lbs (packed) |


Sophos XG Series Desktop Appliances: XG 105, XG 105w, XG 115, XG 115w

Technical Specifications

These desktop firewall appliances offer an excellent price-to-performance ratio making them ideal for small businesses or branch offices. They are available with or without integrated wireless LAN, so you can even have an all-in-one network security and hotspot solution without the need for additional hardware. Of course, you can also add external access points. With Intel multi-core technology designed for best performance and efficiency in a small form factor, these models come equipped with 4 GbE copper ports built-in.



Back View



| Environment | |
|-----------------------|--|
| Power consumption | 4.83W, 16.468 BTU/hr (idle) 9.84W, 33.55 BTU/hr (full load) |
| Operating temperature | 0-40°C (operating) -20 to +80°C (storage) |
| Humidity | 10%-90%, non-condensing |

| Product Certifications | |
|-------------------------------|--------------------------------|
| Certifications | CB, CE, FCC Class B, IC, VCCI, |
| | MIC, RCM, UL, CCC |

| Performance ¹ | XG 105(w) Rev. 2 | XG 115(w) Rev. 2 |
|---|------------------|------------------|
| Firewall throughput | 3 Gbps | 3.5 Gbps |
| Firewall IMIX | 1.04 Gbps | 1.33 Gbps |
| VPN throughput | 300 Mbps | 350 Mbps |
| IPS throughput | 700 Mbps | 900 Mbps |
| NGFW (IPS + App Ctrl + WebFilter) max. | 270 Mbps | 310 Mbps |
| Antivirus throughput (proxy) | 430 Mbps | 520 Mbps |
| Concurrent connections | 3,200,000 | 6,000,000 |
| New connections/sec | 27,500 | 27,500 |
| Maximum licensed users | unrestricted | unrestricted |

| Wireless Specification (XG 105w and XG 115w only) | | |
|---|---------------------------------|--|
| No. of antennas | 3 external | |
| MIMO capabilities | 3 x 3:3 | |
| Wireless interface | 802.11a/b/g/n (2.4 GHz / 5 GHz) | |

| Physical interfaces | |
|---------------------------------|--|
| Storage (local quarantine/logs) | integrated SSD |
| Ethernet interfaces (fixed) | 4 GE copper |
| I/O ports (rear) | 2 x USB 2.0 1 x COM (RJ45) 1 x VGA |
| Power supply | External auto ranging DC: 12V, 100-240VAC, 50-60 Hz |

| Physical specifications | |
|--------------------------------------|---|
| Mounting | Rackmount kit available (to be ordered separately) |
| Dimensions Width x Depth x Height | 225 x 150 x 44 mm 8.86 x 5.91 x 1.73 inches |
| Weight | 1.19 kg / 2.62 lbs (unpacked) 2.185 kg / 4.82 lbs (packed) |


Sophos XG Series Desktop Appliances: XG 125, XG 125w, XG 135, XG 135w

Technical Specifications

These powerful firewall appliances offer 1U performance with a desktop form factor and price. If you have a small business or branch offices to protect and are working on a tight budget, these models are the ideal choice. They are also available with integrated 802.11ac wireless LAN for optimal coverage and connectivity for your mobile workers. Built upon the latest Intel architecture, our software makes optimal use of the multi-core technology to provide excellent throughput for all your key processes. These models come equipped with 8 GbE copper ports built-in.



Back View 3 x external antennas (XG 125w and XG 135w only)



| Environment | |
|-----------------------|---|
| Power consumption | 12.46W, 49.3 BTU/hr (idle) 26.16W, 89.2 BTU/hr (full load) |
| Operating temperature | 0-40°C (operating) -20 to +80°C (storage) |
| Humidity | 10%-90%, non-condensing |

| Product Certifications | |
|------------------------|---|
| Certifications | CB, CE, FCC Class B, IC, VCCI, MIC, RCM, UL, CCC |

| Performance ¹ | XG 125(w) Rev. 2 | XG 135(w) Rev. 2 |
|---|------------------|------------------|
| Firewall throughput | 5 Gbps | 7 Gbps |
| Firewall IMIX | 1.75 Gbps | 2.75 Gbps |
| VPN throughput | 410 Mbps | 950 Mbps |
| IPS throughput | 1 Gbps | 1.75 Gbps |
| NGFW (IPS + App Ctrl + WebFilter) max. | 360 Mbps | 880 Mbps |
| Antivirus throughput (proxy) | 590 Mbps | 1.4 Gbps |
| Concurrent connections | 6,200,000 | 8,200,000 |
| New connections/sec | 35,000 | 82,000 |
| Maximum licensed users | unrestricted | unrestricted |

| Wireless Specification (XG 125w and XG 135w only) | | |
|---|------------------------------------|--|
| No. of antennas 3 external | | |
| MIMO capabilities | 3 x 3:3 | |
| Wireless interface | 802.11a/b/g/n/ac (2.4 GHz / 5 GHz) | |


| Physical interfaces | |
|---------------------------------|--|
| Storage (local quarantine/logs) | integrated SSD |
| Ethernet interfaces (fixed) | 8 GE copper |
| I/O ports (rear) | 2 x USB 2.0 1 x COM (RJ45) 1 x VGA |
| Power supply | External auto ranging DC: 12V, 100-240VAC, 50-60 Hz |

| Physical specifications | |
|--------------------------------------|---|
| Mounting | Rackmount kit available (to be ordered separately) |
| Dimensions Width x Depth x Height | 288 x 186.8 x 44 mm 11.38 x 7.35 x 1.73 inches |
| Weight | 1.7 kg / 3.75 lbs (unpacked) 2.82 kg / 6.22 lbs (packed) |

Sophos XG Series Rackmount Appliances: XG 210, XG 230

Technical Specifications

The Sophos XG 210 and XG 230 are designed to protect small to mid-sized businesses and branch offices. Based on the latest Intel technology and equipped with 6 GbE copper ports, 2 GbE SFP fiber ports plus one FleXi Port slot to configure with an optional module, they provide high flexibility and throughput at an excellent price-to-performance ratio. An external redundant power supply is optional for these models.



| Performance ¹ | XG 210 Rev. 3 | XG 230 Rev. 2 |
|------------------------------|----------------------|---------------|
| Firewall throughput | 16 Gbps | 20 Gbps |
| Firewall IMIX | 5.5 Gbps | 6.8 Gbps |
| VPN throughput | 1.45 Gbps | 1.7 Gbps |
| IPS throughput | 2.7 Gbps | 4.2 Gbps |
| NGFW (IPS + App Ctrl) max. | 2.2 Gbps | 3 Gbps |
| Antivirus throughput (proxy) | 2.3 Gbps | 2.8 Gbps |
| Concurrent connections | 8,200,000 | 8,200,000 |
| New connections/sec | 135,000 | 140,000 |
| Maximum licensed users | unrestricted | unrestricted |
| | | |

| | | | r for optional 2nd nal power suppl | |
|----------------------------------|---|-------|---------------------------------------|--------------|
| e - | • | | | |
| Connector for optional PoE Power | | ***** | HDMI 1x | Power switch |

| Physical interfaces | | |
|------------------------------------|--|--|
| Storage (local quarantine/logs) | integrated SSD | |
| Ethernet interfaces (fixed) | 6 GE copper (incl. 2 bypass pairs) 2 GE SFP* | |
| No. of FleXi Port slots | 1 | |
| FleXi Port modules (optional) | 8 port GE copper 8 port GE SFP* 2 port 10 GE SFP+* 4 port 10 GE SFP+* 2 port 40 GE QSFP+* 4 port GE PoE 8 port GE PoE 4 port GE copper LAN bypass | |
| I/O ports | 2 x USB 3.0 (front) 1 x Micro USB (front) 1 x USB 3.0 (rear) 1 x COM (RJ45) (front) 1 x HDMI (rear) | |
| Display | Multi-function LCD module | |
| Power supply | Internal auto-ranging 100-240VAC, 50-60 Hz Redundant PSU optional (external) | |

| Environment | |
|-----------------------|--|
| Power consumption | XG 210: 19W, 65 BTU/hr (idle) 35W, 119 BTU/hr (full load) XG 230: 21W, 72 BTU/hr (idle) 41W, 141 BTU/hr (full load) |
| Operating temperature | 0-40°C (operating) -20 to +80°C (storage) |
| Humidity | 10%-90%, non-condensing |

| Physical specifications | |
|--------------------------------------|--|
| Mounting | 1U rack mount (2 rackmount ears included) |
| Dimensions Width x Depth x Height | 438 x 344.4 x 44mm 17.24 x 13.56 x 1.75 inches |
| Weight | 5.2 kg / 11.46lb (unpacked) 7.7 kg / 16.98 lbs (packed) |


| Product Certifications | |
|------------------------|-----------------------------------|
| Certifications | CB, UL, CE, FCC Class A, |
| | ISED, VCCI, RCM, CCC |
| | BIS (planned), MSIP/KCC (planned) |

^{*} Transceivers (mini GBICs) sold separately

Sophos XG Series Rackmount Appliances: XG 310, XG 330

Technical Specifications

The Sophos XG 310 and XG 330 are scalable appliances suitable for distributed organizations or mid-sized companies. With solid-state drives for on-box reporting, logs and spam quarantine, they're highly responsive even in high traffic environments. Each model is equipped with 8 GbE copper ports, 2 GbE SFP fiber ports, 2 10 GbE SFP+ fiber ports plus one FleXi Port slot to configure with an optional module. They provide optimal performance and flexibility plus redundancy through an optional external power supply.



1x expansion bay (shown here with optional FleXi Port module) **Back View**

нрмі optional PoE Power

| Environment | |
|-----------------------|--|
| Power consumption | XG 310: 32W, 109 BTU/hr (idle) 49W, 167 BTU/hr (full load) XG 330: 36W, 122 BTU/hr (idle) 54W, 184 BTU/hr (full load) |
| Operating temperature | 0-40°C (operating) -20 to +80°C (storage) |
| Humidity | 10%-90%, non-condensing |

| Product Certifications | |
|------------------------|--|
| Certifications | CB, UL, CE, FCC Class A, ISED, VCCI, RCM, CCC |
| | BIS (planned), MSIP/KCC (planned) |

| Performance ¹ | XG 310 Rev. 2 | XG 330 Rev. 2 |
|------------------------------|----------------------|---------------|
| Firewall throughput | 28 Gbps | 33 Gbps |
| Firewall IMIX | 9.5 Gbps | 12.5 Gbps |
| VPN throughput | 2.75 Gbps | 3.2 Gbps |
| IPS throughput | 5.5 Gbps | 8.5 Gbps |
| NGFW (IPS + App Ctrl) max. | 4 Gbps | 5.5 Gbps |
| Antivirus throughput (proxy) | 3.3 Gbps | 6 Gbps |
| Concurrent connections | 17,500,000 | 17,500,000 |
| New connections/sec | 200,000 | 200,000 |
| Maximum licensed users | unrestricted | unrestricted |

| Physical interfaces | |
|---------------------------------|--|
| Storage (local quarantine/logs) | integrated SSD |
| Ethernet interfaces (fixed) | 8 GE copper (incl. 2 bypass pairs) 2 GE SEP* |
| | 2 10 GE SFP+* |
| No. of FleXi Port slots | 1 |
| FleXi Port modules (optional) | 8 port GE copper 8 port GE SFP* 2 port 10 GE SFP+* 4 port 10 GE SFP+* 2 port 40 GE QSFP+* 4 port GE PoE 8 port GE PoE 4 port GE copper LAN bypass |
| I/O ports | 2 x USB 3.0 (front) 1 x Micro USB (front) 1 x USB 3.0 (rear) 1 x COM (RJ45) (front) 1 x HDMI (rear) |
| Display | Multi-function LCD module |
| Power supply | Internal auto-ranging 100-240VAC, 50-60 Hz Redundant PSU optional (external) |

| Physical specifications | |
|--------------------------------------|---|
| Mounting | 1U rack mount (2 rackmount ears included) |
| Dimensions Width x Depth x Height | 438 x 405.5 x 44mm 17.24 x 15.96 x 1.75 inches |
| Weight | 5.8 kg / 12.78 lbs (unpacked) 8.8 kg / 19.4 lbs (packed) |

^{*} Transceivers (mini GBICs) sold separately


Back View XG 430

Back View XG 450

Sophos XG Series Rackmount Appliances: XG 430, XG 450

Technical Specifications


The Sophos XG 430 and XG 450 offer enterprise performance for distributed organizations or larger mid-sized companies. The connectivity options are second to none for rack mountable appliances, with each model coming equipped with 8 GbE copper ports, 2 10 GbE SFP+ ports and 2 additional FleXi Port slots which you can configure with your choice of optional modules. For high-availability, the XG 450 also offers unparalleled redundancy features in a 1U appliance with a second SSD (RAID) integrated and an optional second power supply is available for both models.



XG 450 Rev. 2 Performance¹ XG 430 Rev. 2 Firewall throughput 41 Gbps 50 Gbps Firewall IMIX 14.5 Gbps 17.5 Gbps VPN throughput 5.5 Gbps 4.8 Gbps IPS throughput 9 Gbps 10 Gbps NGFW (IPS + App Ctrl) max. 6 Gbps 7.5 Gbps Antivirus throughput (proxy) 6.5 Gbps 7 Gbps 20,000,000 **Concurrent connections** 20,000,000 New connections/sec 200,000 200,000 Maximum licensed users unrestricted

| | | | otional 2nd wer supply | Power supply |
|----------------------------------|---|------|---------------------------|--------------|
| • - | • | - | | |
| Connector for optional PoE Power | | HDMI | 1 x USB 3.0 | Power switch |

Physical interfaces



| Storage (local quarantine/logs) | integrated SSD | 2 x integrated SSD |
|---------------------------------|------------------------------------|---------------------|
| Ethernet interfaces (fixed) | 8 GE copper (incl. 2 bypass pairs) | |
| | 2 10 GE | E SFP+* |
| No. of FleXi Port slots | ć | 2 |
| FleXi Port modules (optional) | 8 port GI | E copper |
| | 8 port (| GE SFP* |
| | 2 port 10 | GE SFP+* |
| | 4 port 10 | GE SFP+* |
| | 2 port 40 (| GE QSFP+* |
| | ' | GE PoE |
| | 8 port GE PoE | |
| | 4 port GE copper LAN bypass | |
| I/O ports | 2 x USB 3.0 (front) | |
| | | JSB (front) |
| | | 3.0 (rear) |
| | 1 x COM (R | |
| | 1 x IPM | • • |
| | 1×HDN | 41 (rear) |
| Display | Multi-function LCD module | |
| Power supply | Internal auto- | Internal auto- |
| | ranging 100- | ranging 100- |
| | 240VAC, 50-60 Hz | 240VAC, 50-60 Hz |
| | Redundant PSU | Hot Swap |
| | optional (external) | Redundant PSU |
| | | optional (internal) |

| Environment | |
|-----------------------|---|
| Power consumption | XG 430: 28W, 96 BTU/hr (idle) 79W, 270 BTU/hr (full load) XG 450: 31W, 107 BTU/hr (idle) 83W, 283 BTU/hr (full load) |
| Operating temperature | 0-40°C (operating) -20 to + 80°C (storage) |
| Humidity | 10%-90%, non-condensing |

| Physical specifications | | |
|--------------------------------------|--|--|
| Mounting | 1U rackmount (s | sliding rails incl.) |
| Dimensions Width x Depth x Height | 438 x 507.7 x 44mm 17.24 x 19.99 x 1.75 inches | |
| Weight | 7.6 kg / 16.76 lbs (unpacked) 13.7 kg / 30.2 lbs (packed) | 7.8 kg / 17.2 lbs (unpacked) 14.8 kg / 32.63 lbs (packed) |

| Product Certifications | |
|------------------------|---|
| Certifications | CB, UL, CE, FCC Class A, ISED, VCCI, RCM, CCC BIS (planned), MSIP/KCC (planned) |


^{*} Transceivers (mini GBICs) sold separately

Sophos XG Series Rackmount Appliances:

XG 550, XG 650

Technical Specifications

The Sophos XG 550 and XG 650 are high-performance firewalls equipped to provide protection for larger distributed and growing organizations. They offer CPU technology to effortlessly handle use as an all-in-one solution or a powerful next-generation firewall. The models offer either 4 (XG 550) or 6 (XG 650) FleXi Port expansion bays to tailor your connectivity to your environment. An 8 port GbE copper module is supplied as a default. Hot-swappable dual SSDs and power supplies are standard redundancy features in this class.



| Performance ¹ | XG 550 Rev. 2 | XG 650 Rev. 2 |
|---|---------------|---------------|
| Firewall throughput | 65 Gbps | 85 Gbps |
| Firewall IMIX | 23 Gbps | 28 Gbps |
| VPN throughput | 8.4 Gbps | 9 Gbps |
| IPS throughput | 17 Gbps | 20 Gbps |
| NGFW (IPS + App Ctrl + WebFilter) max. | 9 Gbps | 10 Gbps |
| Antivirus throughput (proxy) | 10 Gbps | 13 Gbps |
| Concurrent connections | 30,000,000 | |
| New connections/sec | 220,000 | 240,000 |
| Maximum licensed users | unrestricted | |

2 x hot-swap SSD (RAID-1) 2 x USB 2.0

Multi-function LCD display

| | - |
|------------------------------|----------|
| | St |
| | qι |
| | Et (r |
| | N |
| 6 | Fl |
| Port pper module able) | |


modules. 1 x 8 port GbE co supplied as default (remove

| Physical interfaces | | |
|---------------------------------|---|--|
| Storage (local quarantine/logs) | 2 x integrated hot-swap SSD (RAID) | |
| Ethernet interfaces (removable) | 8 GE c | :opper |
| No. of FleXi Port slots | 4 | 6 |
| FleXi Port modules (optional) | 8 port GI 8 port C 2 port 10 4 port 10 4 port SFP* p copper LA | GE SFP+* GE SFP+* llus 4 port GE |
| I/O ports | 2 x USB 2.0 (front) 1 x USB 3.0 (rear) 2 x Mgmt Port (eth0/eth1, front) 1 x COM (RJ45) (front) 1 x VGA (rear) | |
| Display | Multi-function LCD module | |
| Power supply | 2 x hot-swap inte 100-240VAC, | 0 0 |

| Bac | 7 N. | liaur |
|----------------|------|-------|
| B BYCKE | ĸν | |
| | | |

for LCD

Front View XG 650



| Physical specifications | | |
|--------------------------------------|--|--|
| Mounting | 2U sliding rails (included) | |
| Dimensions Width x Depth x Height | 438 x 600 x 88 mm 17.24 x 23.62 x 3.46 inches | |
| Weight | 17.8 kg / 39.24 lbs (unpacked) 27 kg / 59.53 lbs (packed) | |

| Environment | | |
|-----------------------|---|--|
| Power consumption | XG 550: 270.5W, 922.98BTU/hr (idle) 416.1W, 1419.79BTU/hr (full load) XG 650: 320.5W, 1093.59BTU/hr (idle) 493.1W, 1682.53BTU/hr (full load) | |
| Operating temperature | 0-40°C (operating) -40 to +70°C (storage) | |
| Humidity | 5%-90%, non-condensing | |

| Product Certifications | | |
|------------------------|---|--|
| Certifications | CE, UL, FCC, ISED, CCC, VCCI, RCM, BIS (CRS) | |


Sophos XG Series Rackmount Appliances:

XG 750

Back View

Technical Specifications

The Sophos XG 750 is a high performance firewall suitable for high traffic datacenter and large enterprise environments. Intel multi core technology and redundancy features such as dual SSDs, power supplies and swappable fans, ensure you're protected at all times. With a total of 8 FleXi Port bays, one of which comes equipped with a default 8 port GbE copper module, connectivity knows no bounds and can reach a maximum of 64 ports using the optional modules.



| Performance | XG /5U Rev. 2 |
|---|---------------|
| Firewall throughput | 100 Gbps |
| Firewall IMIX | 33.5 Gbps |
| VPN throughput | 11 Gbps |
| IPS throughput | 22 Gbps |
| NGFW (IPS + App Ctrl + WebFilter) max. | 11.8 Gbps |
| Antivirus throughput (proxy) | 17 Gbps |
| Concurrent connections | 30,000,000 |
| New connections/sec | 300,000 |
| Maximum licensed users | unrestricted |

| | 1 x USB 3. | 0 1 x VGA port | Power switch | |
|------|------------|----------------|--------------|-------------------|
| ** @ | ** 9 | ** | • • • | المالم) |
| | | | | |
| | 4 x swapp | able fan | | 2 x hot swappable |

| Physical interfaces | | |
|---------------------------------|---|--|
| Storage (local quarantine/logs) | 2 x integrated hot-swap SSD (RAID) | |
| Ethernet interfaces (removable) | 8 GE copper | |
| No. of FleXi Port slots | 8 | |
| FleXi Port modules (optional) | 8 port GE copper 8 port GE SFP* 2 port 10 GE SFP+* 4 port 10 GE SFP+* 4 port SFP* plus 4 port GE copper LAN bypass | |
| I/O ports | 2 x USB 2.0 (front) 1 x USB 3.0 (rear) 2 x Mgmt Port (eth0/eth1, front) 1 x COM (RJ45) (front) 1 x VGA (rear) | |
| Display | Multi-function LCD module | |
| Power supply | 2 x hot-swap external auto ranging 100-240VAC, 50-60 Hz | |

| Environment | | |
|-----------------------|---|--|
| Power consumption | 326.5W, 1114.01BTU/hr (idle) 512.2W, 1747.62BTU/hr (full load) | |
| Operating temperature | 0-40°C (operating) -40 to +70°C (storage) | |
| Humidity | 5%-90%, non-condensing | |
| | | |

| Physical specifications | |
|--------------------------------------|--|
| Mounting | 2U sliding rails (included) |
| Dimensions Width x Depth x Height | 438 x 600 x 88 mm 17.24 x 23.62 x 3.46 inches |
| Weight | 17.8 kg / 39.24 lbs (unpacked) |

| Product Certifications | |
|------------------------|---|
| Certifications | CE, UL, FCC, ISED, CCC, VCCI, RCM, BIS (CRS) |

^{*} Transceivers (mini GBICs) sold separately

FleXi Port Modules

Configure your hardware to suit your infrastructure and change it as and when you need to. Our optional FleXi Port LAN modules give you the freedom to select the connectivity you need – copper, fiber, 10GbE – you decide.

In some cases, FleXi Port modules are interchangeable within a range of appliances, so, for example, you can use the same module with all of your 1U appliances which saves you money if you upgrade to a higher model at a later date.

| FleXi Port Modules for 1U | FleXi Port Modules for 2U | |
|--|---|--|
| 8 port GbE copper FleXi Port module (for SG/XG 2xx/3xx/4xx only) | 8 port GbE copper FleXi Port module (for XG 750 and SG/XG 550/650 Rev.2 only) | |
| 8 port GbE SFP FleXi Port module (for SG/XG 2xx/3xx/4xx only) | 8 port GbE SFP FleXi Port module (for XG 750 and SG/XG 550/650 Rev.2 only) | |
| 2 port 10 GbE SFP+ FleXi Port module (for SG/XG 2xx/3xx/4xx only) | 2 port 10 GbE SFP+ FleXi Port module (for XG 750 and SG/XG 550/650 Rev.2 only) | |
| 4 port 10 GbE SFP+ FleXi Port module (for SG/XG 2xx/3xx/4xx only) | 4 port 10 GbE SFP+ FleXi Port module (for XG 750 and SG/XG 550/650 Rev.2 only) | |
| 2 port 40 GbE QSFP+ (for SG/XG 210 Rev.3 and SG/XG 230, 3xx and 4xx Rev.2 only) | 4 port GbE SFP plus 4 port GbE copper LAN bypass FleXi port module (for XG 750 and XG 550/650 Rev.2 only) | |
| 4 port 1GE copper PoE (for SG/XG 210 Rev.3 and SG/XG 230, 3xx and 4xx Rev.2 only) | | |
| 8 port 1GE copper PoE (for SG/XG 210 Rev.3 and SG/XG 230, 3xx and 4xx Rev.2 only) | | |
| 4 port GbE copper LAN Bypass FleXi Port module (for XG 2xx/3xx/4xx only) | | |

Please note: Transceivers (mini GBICs) are sold separately.

Sophos Wireless Protection

Get secure and reliable wireless access all over the office

Simplify your wireless networking by using your Sophos XG Firewall as a wireless controller to centralize your Wi-Fi management and security. Sophos Wireless Protection is included in the Base Firewall license and for example, provides full hotspot support to simply set up guest and visitor access. Our optional access points are automatically set up and configured by the firewall. That means all your wireless clients get complete threat protection too.

Choose your Access Point

Our APs are built on the latest enterprise-class, high-speed wireless chipsets with custom designed antennas, added CPU and memory resources, and hardware accelerated encryption. Find out more.

Hardware Appliances with integrated WiFi

All our XG Series desktop appliances are available with an integrated wireless access point. Coverage can be further extended by adding Sophos Access Points. Please see the Hardware section for further details.

Sophos RED (Remote Ethernet Device)

Turn any location into a secure location with our Remote Ethernet Devices (RED)

If you have branch offices, retail locations, remote outposts or otherwise need to extend your secure network easily and affordably beyond your main facility, Sophos Remote Ethernet Devices are the ideal solution. Uniquely simple and imminently affordable, RED provides an elegant solution to building a secure distributed network.

Plug-and-protect

Sophos RED makes extending your secure network to other locations easy. It requires no technical skills at the remote site; simply enter the RED device ID into your XG Firewall console and ship it. As soon as it's plugged in and connected to the Internet, it will contact your firewall and establish a secure dedicated VPN tunnel. It's that easy.



Sophos Firewall Manager (SFM)

Sophos Firewall Manager (SFM) provides powerful centralized management for all your Sophos Firewalls across multiple customers sites or branch offices all from a single screen. Whether you're an MSP, Enterprise Network Security Admin, or simply managing a few small offices, SFM simplifies security management enabling consistent enforcement, easy provisioning of new policies, and ataglance monitoring of device health. SFM saves you time, money and makes management simpler.

Comprehensive Centralized Management

Manage all Firewall policies and configuration from single console.

Insightful Monitoring

At-a-glance device and network health indicators.

Extensive Administrative controls

Role-based administration, change control and logging.

Flexible Deployment Options

Available as Hardware, Software, or Virtual appliance.

Sophos iView v2

Monitoring a distributed network across multiple locations can be a challenge. That's where Sophos iView can help. It provides you with an intelligent, uninterrupted view of your network from a single pane of glass. If you have multiple appliances, need consolidated reporting, or could just use help with log management or compliance, Sophos iView is the ideal solution.

Consolidated reporting

Aggregated reporting across multiple Sophos and Cyberoam firewall devices.

User-based Reporting

Our patented Layer-8 user identity provides visibility into user activities regardless of where they're working.

Security intelligence

Identify potential network issues and possible attacks anywhere across your network.

Log backup and management

Logs data from multiple devices at distributed locations with smart indexing and easy search facilities.

Deployment options

Available as software ISO or virtual appliance.



Try it for free - business and even at home

If you have any additional questions visit sophos.com or give one of our Sales Agents a call.

Free 30-day trial - no strings attached

If you'd like to take it for a test drive you can get the full-featured product simply sign-up for our free 30-day trial.

See it in action now

You can take a walkthrough of the user interface with our interactive demo or watch videos showing you just how we make network security simple.

Visit sophos.com/xgfirewall

Free Home Use version

Our Sophos XG Firewall Home Edition is a fully-equipped software version that gives you complete network, web, mail, and web application security with VPN functionality, for home-use only and limited to 4 virtual cores, 6 GB of RAM. **Visit sophos.com/freetools**

- ¹ General: Max. throughput measured under ideal test conditions using SF-OS 16.5 with App-classification disabled using industry standard Spirent /Avalanche performance test and Ixia test tools. Actual performance may vary depending on network conditions and activated services.
- $\scriptstyle \bullet$ FW: UDP throughput based on RFC 2544 using 1518 Byte packet size.
- FW IMIX: UDP throughput based on a combination of 48 bytes, 576 bytes and 1518 bytes packet sizes.
- $\verb| IPS/NGFW: HTTP throughput using default IPS rules et and 512KB object size (NGFW: with AppCtrl enabled)| \\$
- VPN: HTTP throughput using multiple tunnels and 512KB HTTP response size
- $\, {\bf \cdot}\,$ AV: HTTP throughput using Web proxy and 200KB response size

United Kingdom and Worldwide Sales Tel: +44 (0)8447 671131 Email: sales@sophos.com

North American Sales Toll Free: 1-866-866-2802 Email: nasales@sophos.com Australia and New Zealand Sales Tel: +61 2 9409 9100 Email: sales@sophos.com.au

Asia Sales Tel: +65 62244168 Email: salesasia@sophos.com

