

# N300 Wireless Router

- **Standards**
  - IEEE 802.3
  - IEEE 802.3u
  - IEEE 802.11b
  - IEEE 802.11g
  - IEEE 802.11n (2.4 GHz up to 300 Mbps)
- **Hardware Interface**
  - 4 x 10/100 Mbps LAN ports
  - 1 x 10/100 Mbps WAN port
  - WPS Button
  - Power switch
  - LED indicators
- **Security**
  - Wireless encryption up to WPA2
  - Firewall: NAT, SPI
  - Parental (Access) Controls: MAC, URL, IP Filter
- **Special Features**
  - WMM Quality of Service (QoS)
- **Open source compatible**

- IPv6 support
- DynDNS support for: Dyn.com, easyDNS.com, NO-IP.com
- Open Source Resources
- Open-source wireless router for Linux developers and open-source enthusiasts
- Popular Linux firmware for this router, available at <https://openwrt.org/>
- Product hardware: Qualcomm 400 MHz MIPS® chipset; Flash: 8 MB; RAM: 64 MB
- **Power**
  - Input: 100 - 240 V AC, 50 - 60 Hz, 0.2 A
  - Output: 5 V DC, 1 A
  - Consumption: 3 Watts (Max)
- **Operating Temperature**
  - 0 - 40°C (32 - 104°F)
- **Operating Humidity**
  - Max 95% non-condensing
- **Certifications**
  - CE
  - FCC
- **Dimensions**

- 150 x 60 x 112 mm (6 x 2.3 x 4.4 in.)
- 198 g (7 oz.)
- **Warranty**
  - 3 year limited

## Package Contents

- TEW-732BR
- Multi-Language Quick Installation Guide
- CD-ROM (User's Guide)
- Network Cable (1.5 m/5 ft.)
- Power adapter (5 V, 1 A)